

AD-A173 214

ENVIRONMENTAL IMPACT RESEARCH PROGRAM: MANURE SPREADERS 1/1

SECTION 832 US AR. (U) ARMY ENGINEER WATERWAYS

EXPERIMENT STATION VICKSBURG MS ENVIR. T B DOERR


UNCLASSIFIED

JUL 86 NES/TR/EL-86-47

F/G 2/3

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963 A



US Army Corps
of Engineers

AD-A173 214



ENVIRONMENTAL IMPACT
RESEARCH PROGRAM

TECHNICAL REPORT EL-86-47

MANURE SPREADERS

Section 8.3.2, US ARMY CORPS OF ENGINEERS
WILDLIFE RESOURCES MANAGEMENT MANUAL

by

Ted B. Doerr

Environmental Laboratory

DEPARTMENT OF THE ARMY
Waterways Experiment Station, Corps of Engineers
PO Box 631, Vicksburg, Mississippi 39180-0631

DTIC
ELECTE
OCT 17 1986
S D



July 1986
Final Report

Approved For Public Release. Distribution Unlimited

DTIC FILE COPY

Prepared for DEPARTMENT OF THE ARMY
US Army Corps of Engineers
Washington, DC 20314-1000
Under EIRP Work Unit 31631

86 10 10 188

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE AD-A17321K				Form Approved OMB No 0704 0188 Exp Date Jun 30 1986	
1a REPORT SECURITY CLASSIFICATION <u>Unclassified</u>			1b RESTRICTIVE MARKINGS		
2a SECURITY CLASSIFICATION AUTHORITY			3 DISTRIBUTION/AVAILABILITY OF REPORT		
2b DECLASSIFICATION/DOWNGRADING SCHEDULE			Approved for public release; distribution unlimited.		
4 PERFORMING ORGANIZATION REPORT NUMBER(S) Technical Report EL-86-47			5 MONITORING ORGANIZATION REPORT NUMBER(S)		
6a NAME OF PERFORMING ORGANIZATION USAEWES Environmental Laboratory		6b OFFICE SYMBOL (if applicable)	7a NAME OF MONITORING ORGANIZATION		
6c ADDRESS (City, State, and ZIP Code) PO Box 631 Vicksburg MS 39180-0631			7b ADDRESS (City, State, and ZIP Code)		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION US Army Corps of Engineers		8b OFFICE SYMBOL (if applicable)	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code) Washington, DC 20314-1000			10 SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO	PROJECT NO	TASK NO
					WORK UNIT ACCESSION NO EIRP 31631
11 TITLE (Include Security Classification) Manure Spreaders: Section 8.3.2, US Army Corps of Engineers Wildlife Resources Management Manual					
12 PERSONAL AUTHOR(S) Doerr, Ted B.					
13a TYPE OF REPORT Final report		13b TIME COVERED FROM _____ TO _____		14 DATE OF REPORT (Year, Month, Day) July 1986	
				15 PAGE COUNT 11	
16 SUPPLEMENTARY NOTATION Available from National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161.					
17 COSATI CODES			18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Applicators Manure spreaders Spreader		
			Conveyer Site reclamation		
			Equipment Fertilizer		
19 ABSTRACT (Continue on reverse if necessary and identify by block number) An equipment report on manure spreaders is provided as Section 8.3.2 of the US Army Corps of Engineers Wildlife Resources Management Manual. The report is designed to assist the Corps District or project biologist with the selection and use of types of equipment and materials available for habitat development and manipulation. Topics covered include description, operation and maintenance, limitations, and availability. Manure spreaders are modified single- and dual-axle trailers designed to apply manure and other organic solids to the soil. They are widely used for agriculture and reclamation where soils need more intensive renovation than can be provided by single tillage and inorganic amendments. Management objectives for using manure spreaders are stated, and applications to habitat development projects are discussed. The design and assembly of equipment are described and illustrated, and general specifications are provided. Methods of operation are described, and maintenance and safety requirements are given. Appropriate cautions and limitations are discussed.					
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS			21 ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a NAME OF RESPONSIBLE INDIVIDUAL			22b TELEPHONE (Include Area Code)		22c OFFICE SYMBOL

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted
All other editions are obsoleteSECURITY CLASSIFICATION OF THIS PAGE
Unclassified

PREFACE

This work was sponsored by the Office, Chief of Engineers (OCE), US Army, as part of the Environmental Impact Research Program (EIRP), Work Unit 31631, entitled Management of Corps Lands for Wildlife Resource Improvement. The Technical Monitors for the study were Dr. John Bushman and Mr. Earl Eiker, OCE, and Mr. Dave Mathis, Water Resources Support Center.

This report was prepared by Mr. Ted B. Doerr, Range Science Department, Colorado State University, Fort Collins, Colo. Mr. Doerr was employed by the Environmental Laboratory (EL), US Army Engineer Waterways Experiment Station (WES), under an Intergovernmental Personnel Act contract with Colorado State University during the period this report was prepared. Mr. Chester O. Martin, Team Leader, Wildlife Resources Team, Wetlands and Terrestrial Habitat Group (WTHG), EL, was principal investigator for the work unit. Information on spreaders was provided by personnel from AVCO New Idea Farm Equipment, Coldwater, Ohio; John Deere Company, Moline, Ill.; Schwartz Manufacturing, Lester Prairie, Minn.; and Sperry New Holland, New Holland, Penn. Review and comments were provided by Mr. Martin, WES, and Mr. Larry E. Marcy, Texas A&M University.

The report was prepared under the general supervision of Dr. Hanley K. Smith, Chief, WTHG, EL; Dr. Conrad J. Kirby, Chief, Environmental Resources Division, EL; and Dr. John Harrison, Chief, EL. Dr. Roger T. Saucier, WES, was Program Manager, EIRP. The report was edited by Ms. Jessica S. Ruff of the WES Information Products Division (IPD). Drawings were prepared by Mr. John R. Harris, Scientific Illustrations Section, IPD, under the supervision of Mr. Aubrey W. Stephens, Jr.

COL Allen F. Grum, USA, was the previous Director of WES. COL Dwayne G. Lee, CE, is the present Commander and Director. Dr. Robert W. Whalin is Technical Director.

This report should be cited as follows:

Doerr, Ted B. 1986. "Manure Spreaders: Section 8.3.2, US Army Corps of Engineers Wildlife Resources Management Manual," Technical Report EL-86-47, US Army Engineer Waterways Experiment Station, Vicksburg, Miss.

Availability Codes	
Dist	Avail a d/or special
A-1	

NOTE TO READER

This report is designated as Section 8.3.2 in Chapter 8 -- EQUIPMENT, Part 8.3 -- SOIL AMENDMENT EQUIPMENT, of the US ARMY CORPS OF ENGINEERS WILDLIFE RESOURCES MANAGEMENT MANUAL. Each section of the manual is published as a separate Technical Report but is designed for use as a unit of the manual. For best retrieval, this report should be filed according to section number within Chapter 8.

MANURE SPREADERS

Section 8.3.2, US ARMY CORPS OF ENGINEERS
WILDLIFE RESOURCES MANAGEMENT MANUAL

DESCRIPTION	3	LIMITATIONS	5
OPERATION	5	AVAILABILITY	7
MAINTENANCE	5	LITERATURE CITED	8

Manure spreaders are designed to apply manure and other organic solids to the soil surface. They are rectangular-shaped trailers pulled by a 30- to 100-hp tractor (Larson 1980, Sperry New Holland 1983). Manure and organic matter applications are used to improve soil aeration, water-holding capacity, fertility, and organic matter content to enhance plant establishment and growth. Spreaders are used throughout the United States for agriculture and reclamation where soils need more intensive renovation than can be provided by simple tillage and inorganic amendments.

DESCRIPTION

Manure spreaders are modified single- and dual-axle trailers with solid sides. The bottom is a conveyor belt (apron) that moves material toward the rear, where the rotary flails beat, break up, and distribute the organic solid (Fig. 1). The bottom flail mechanism is either a large drum with short replaceable teeth or a thin drum or shaft with large replaceable teeth. The optional upper flail is also a thin drum with large replaceable teeth (Schwartz Manufacturing 1983; John Deere Company 1983). Some manure spreaders have a third optional "wide spread" flail to facilitate even spreading of organic material (Sperry New Holland 1983). Flails and conveyors are usually powered by power-take-off (PTO) systems. The John Deere 450 Hydra-push spreader uses a hydraulically powered push board to move organic material to the rear of the trailer. This reduces cleanup and maintenance requirements (John Deere Company 1983).







Figure 1. Basic manure spreader design, showing flail types available
(adapted from materials provided by John Deere Company,
AVCO New Idea, and Sperry New Holland)

Trailers vary in size, and load capacities range from 64 cu ft (Larson 1980) to 570 cu ft (Sperry New Holland 1983). Endgates allow fluid manure and solid organic material to be loaded off-site and transported to the treatment area with minimal material loss. A detachable slurry pan located beneath the bottom flail can be used to improve distribution of more fluid material (Fig. 1). Further specifications are presented in Table 1.

OPERATION

The manure spreader is loaded by a front-end loader or conveyor system at a material storage pile. The material is moved to the flails at the rear of the spreader by a conveyor belt or push panel. The application rate is determined by the speed of the tractor and the speed of the conveyor belt moving the material. Spreaders should be calibrated to ensure accurate application rates before use. Most manure spreaders have variable conveyor speeds. Material can either be left on the soil surface, crimped (to keep in place), or incorporated into the soil by rototilling or disking.

Application of organic material with high levels of wood residue may create an imbalance in the carbon-nitrogen ratio. This imbalance will limit plant-available nitrogen. Therefore, higher rates of nitrogen fertilizer may be required than estimates based on soil tests. If sewage sludge is being applied, nutrient levels, cation-exchange capacity, electrical conductivity, and heavy metal levels should be measured prior to use. These tests will show nutrient deficiencies, salt levels, and toxic substances detrimental to vegetation establishment.

MAINTENANCE

Manure spreaders should be cleaned after each use. Conveyors, chains, flail teeth, and PTO systems should be checked and repaired following manufacturers' specifications. Periodic lubrication of moving parts is required.

LIMITATIONS

Manure spreaders are not adapted for use on areas with rough topography, shallow rocky soils, or brush. Site preparation techniques (brush control, disking, etc.) need to be applied before manure spreaders can be used on these sites. For most projects, rotary spreaders are more useful than manure

Table 1. Specifications for several brands of manure spreaders

Feature	Brand			
	Deere Hydra-push	John Deere	Schwartz	Sperry New Holland
Box capacity				AVCO New Idea
Struck	142 cu ft	77-245 cu ft	76-203 cu ft	71-340 cu ft
Heaped	286 cu ft	178-471 cu ft	154-368 cu ft	139-570 cu ft
Dimensions (overall)				
Width	7.9 ft	6.8- 9.0 ft	5.7- 8.0 ft	6.5-10.3 ft
Length	19.3 ft	16.6-24.6 ft	15.6-23.2 ft	14.7-26.3 ft
Height	4.4 ft	3.8- 4.4 ft	3.7- 5.8 ft	3.8- 6.9 ft
Conveyor speed settings	multiple	1-3	2 or 7	2 plus
Operation speed	5-6 mph	5-6 mph	3-6 mph	5 mph
Power requirements	60 hp	50-80+ mph	30-85 hp	20-135 hp
Attachments	Upper flail Endgate Endgate pan	Upper flail Endgate Endgate pan Flail shield	Upper flail Endgate Endgate pan	Upper flail Endgate Endgate pan "Wide spread" flail

spreaders unless the site requires organic amendments to restore productivity; large quantities of organic material must also be available.

AVAILABILITY

Manure spreaders and associated equipment are available from the following retailers:

AVCO
New Idea Farm Equipment
420 S. First Street
Coldwater, Ohio 45828

John Deere Company
John Deere Road
Moline, Illinois 61265

Ford Tractor Operations
2500 E. Maple Road
Troy, Michigan 48024

Gehl Company
143 E. Water Street
West Bend, Wisconsin 53095

International Harvester
Agricultural Equipment Div.
401 N. Michigan Avenue
Chicago, Illinois 60611

Schultz Manufacturing Company
P. O. Box 388
Waterloo, Iowa 50704

Schwartz Manufacturing
P. O. Box 248
Lester Prairie, Minnesota 55354

Sperry New Holland
500 Diller Avenue
New Holland, Pennsylvania 17557

LITERATURE CITED

- John Deere Company. 1983. Loaders, spreaders, and rear blades. Specification sheet, Moline, Ill. 43 pp.
- Larson, J. E. 1980. Revegetation equipment catalogue. USDA For. Serv. Equipment Development Center, Catalogue No. 8042 2501. 198 pp.
- Schwartz Manufacturing. 1983. Manure spreaders. Specification sheet. Lester Prairie, Minn. 5 pp.
- Sperry New Holland. 1983. Box spreaders. Specification sheet. New Holland, Penn. 5 pp.

END

12-86

DTIC